



By doing business with

Atlas Steel - P.n.g
you're supporting PNG!

83 Nails & Staples

Atlas Steel PNG is a trusted supplier of premium-quality nails, serving Papua New Guinea's construction and industrial sectors with precision-engineered fastening solutions.

Our product range includes bright flathead and jolt head nails, galvanised roofing and fencing staple nails, and other specialty nails—all designed for exceptional durability and reliable performance.

Dedicated to excellence, we adhere to strict quality standards, ensuring superior strength, corrosion resistance, and long-term reliability in every product. Whether for large-scale construction, roofing, or specialized applications, Atlas Steel PNG delivers fastening solutions that professionals can depend on.



Bright Flathead Nails



Bright Jolthead Nails



Galvanised Roofing Nails



Galvanised Fencing Staples

Bright Nail-Twisted Pallet

Application: Framing, boxing, crates, pallets, fencing and general timber fixing applications.



Bright Twisted Pallet Nail

BRIGHT NAIL - TWISTED PALLET			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
12-30-010	Twisted Pallet Nail 75mm x 3.75mm x 20kg	20.00	CTN
12-31-010	Twisted Pallet Nail 75mm x 3.75mm x 400gsm	0.40	Bag

Bright Nail-Jolthead

Application: Trim and fine finishing work.



Bright Jolthead Nail

BRIGHT NAIL - JOLTHEAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
12-10-010	Bright Nail Jolthead 25 x 1.60mm x 20kg	20.00	CTN
12-10-020	Bright Nail Jolthead 40 x 2.00mm x 20kg		CTN
12-10-030	Bright Nail Jolthead 40 x 2.50mm x 20kg		CTN
12-10-040	Bright Nail Jolthead 50 x 2.80mm x 20kg		CTN
12-10-050	Bright Nail Jolthead 65 x 3.15mm x 20kg		CTN
12-10-060	Bright Nail Jolthead 75 x 3.75mm x 20kg		CTN
12-10-070	Bright Nail Jolthead 100 x 4.50mm x 20kg		CTN
12-10-080	Bright Nail Jolthead 125 x 5.60mm x 20kg		CTN
12-10-090	Bright Nail Jolthead 150 x 5.60mm x 20kg		CTN
12-12-060	Bright Nail Jolthead 75 x 3.75mm x 5 kg	5.00	CTN
12-14-045	Bright Nail Jolthead 50 x 2.80mm x 1kg	1.00	Bags
12-14-060	Bright Nail Jolthead 75 x 3.75mm x 1kg		Bags
12-14-070	Bright Nail Jolthead 100 x 4.50mm x 1kg		Bags
12-15-015	Bright Nail Jolthead 25 x 1.60mm x 400gm	0.40	Bags
12-15-025	Bright Nail Jolthead 40 x 2.00mm x 400gm		Bags
12-15-035	Bright Nail Jolthead 40 x 2.50mm x 400gm		Bags
12-15-045	Bright Nail Jolthead 50 x 2.80mm x 400gm		Bags
12-15-055	Bright Nail Jolthead 65 x 3.15mm x 400gm		Bags
12-15-065	Bright Nail Jolthead 75 x 3.75mm x 400gm		Bags
12-15-075	Bright Nail Jolthead 100 x 4.50mm x 400gm		Bags
12-15-085	Bright Nail Jolthead 125 x 5.60mm x 400gm		Bags
12-15-095	Bright Nail Jolthead 150 x 5.60mm x 400gm		Bags
12-16-045	Bright Nail Jolthead 50 x 2.80mm x 200gm	0.20	Bags
12-16-055	Bright Nail Jolthead 65 x 3.15mm x 200gm		Bags

BRIGHT NAIL - JOLTHEAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
12-16-065	Bright Nail Jolthead 75 x 3.75mm x 200gm	20.00	Bags
12-16-075	Bright Nail Jolthead 100 x 4.50mm x 200gm		Bags

Bright Nail-Flathead

Application: General construction, carpentry and framing.



Bright Flat Head Nail

BRIGHT NAIL - FLATHEAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
12-10-000	Bright Nail Flathead 20 x 1.60mm x 20kg	20.00	CTN
12-20-000	Bright Nail Flathead 20 x 1.60mm x 20kg		CTN
12-20-010	Bright Nail Flathead 25 x 1.60mm x 20kg		CTN
12-20-020	Bright Nail Flathead 40 x 2.00mm x 20kg		CTN
12-20-030	Bright Nail Flathead 40 x 2.50mm x 20kg		CTN
12-20-040	Bright Nail Flathead 50 x 2.80mm x 20kg		CTN
12-20-050	Bright Nail Flathead 65 x 3.15mm x 20kg		CTN
12-20-060	Bright Nail Flathead 75 x 3.75mm x 20kg		CTN
12-20-070	Bright Nail Flathead 100 x 4.50mm x 20kg		CTN
12-20-080	Bright Nail Flathead 125 x 5.60mm x 20kg	5.00	CTN
12-20-090	Bright Nail Flathead 150 x 5.60mm x 20kg		CTN
12-22-060	Bright Nail Flathead 75 x 3.75mm x 5kg		CTN
12-23-045	Bright Nail Flathead 50 x 2.80mm x 1kg	1.00	Bags
12-23-060	Bright Nail Flathead 75 x 3.75mm x 1kg		Bags
12-23-070	Bright Nail Flathead 100 x 4.50mm x 1kg		Bags
12-24-045	Bright Nail Flathead 50 x 2.80mm x 200gm	0.20	Bag
12-24-055	Bright Nail Flathead 65 x 3.15mm x 200gm		Bag
12-24-065	Bright Nail Flathead 75 x 3.75mm x 200gm		Bag
12-24-075	Bright Nail Flathead 100 x 4.50mm x 200gm		Bag
12-25-015	Bright Nail Flathead 25 x 1.60mm x 400gm	0.40	Bag
12-25-025	Bright Nail Flathead 40 x 2.00mm x 400gm		Bag
12-25-035	Bright Nail Flathead 40 x 2.50mm x 400gm		Bag
12-25-045	Bright Nail Flathead 50 x 2.80mm x 400gm		Bag
12-25-055	Bright Nail Flathead 65 x 3.15mm x 400gm		Bag
12-25-065	Bright Nail Flathead 75 x 3.75mm x 400gm		Bag
12-25-075	Bright Nail Flathead 100 x 4.50mm x 400gm		Bag
12-25-085	Bright Nail Flathead 125 x 5.60mm x 400gm		Bag
12-25-095	Bright Nail Flathead 150 x 5.60mm x 400gm		Bag

Galvanised Nail-Clout

Application: General construction, carpentry and framing.



Galvanised Clout Nails

GALVANISED NAIL - CLOUT			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
47-30-010	Galv.Nail Clout 75mm x 3.75mm x 20kg	20.0	CTN
47-30-015	Galv.Nail Clout 75mm x 3.75mm x 400gsm	0.40	Bag
47-30-020	Galv.Nail Clout 25mm x 2.50mm x 20kg	20.0	CTN
47-30-025	Galv.Nail Clout 25mm x 2.5mm x 500g	0.50	Bag
47-30-030	Galv.Nail Clout 30mm x 2.50mm x 20kg	20.0	CTN
47-30-035	Galv.Nail Clout 30mm x 2.5mm x 500g	0.50	Bag
47-30-040	Galv.Nail Clout 40mm x 2.50mm x 20kg	20.0	CTN
47-30-045	Galv.Nail Clout 40mm x 2.5mm x 500g	0.50	Bag
47-30-050	Galv.Nail Clout 50mm x 2.50mm x 20kg	20.0	CTN
47-30-055	Galv.Nail Clout 50mm x 2.5mm x 500g	0.50	Bag

Galvanised Nail-Jolthead

Application: Trim and fine finishing work.



Galvanised Jolt Head Nail

GALVANISED NAIL - JOLTHEAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
47-10-002	Galv.Nail J/Head 40mm x 2.0mm x 20kg	20.0	Box
47-10-005	Galv.Nail J/Head 40mm x 2.0mm x 500kg	0.50	Bag
47-10-010	Galv.Nail J/Head 40mm x 2.50mm x 20kg	20.0	CTN
47-10-015	Galv.Nail J/Head 40mm x 2.50mm x 500g	0.50	Bag
47-10-020	Galv.Nail J/Head 50mm x 2.80mm x 20kg	20.0	CTN
47-10-025	Galv.Nail J/Head 50mm x 2.80mm x 500g	0.50	Bag
47-10-030	Galv.Nail J/Head 65mm x 3.15mm x 20kg	20.0	CTN
47-10-035	Galv.Nail J/Head 65mm x 3.15mm x 500g	0.50	Bag
47-10-040	Galv.Nail J/Head 75mm x 3.75mm x 20kg	20.0	CTN
47-10-045	Galv.Nail J/Head 75mm x 3.75mm x 500g	0.50	Bag
47-10-050	Galv.Nail J/Head 100mm x 4.50mm x 20kg	20.0	CTN
47-10-055	Galv.Nail J/Head 100mm x 4.50mm x 500g	0.50	Bag
47-10-060	Galv.Nail J/Head 40mm x 2.80mm x 20kg	20.0	CTN
47-10-065	Galv.Nail J/Head 40mm x 2.80mm x 500g	0.50	Each
47-10-070	Galv.Nail J/Head 150mm x 5.60mm x 20kg	20.0	CTN
47-10-075	Galv.Nail J/Head 150mm x 5.60mm x 500g	0.50	Bag

Galvanised Nail-Flathead

Application: General construction, carpentry and framing.



Galvanised Flat Head Nail

GALVANISED NAIL - FLATHEAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
47-20-005	Galv.Nail Flathead 40mm x 2.0mm x 500g	0.50	Bag
47-20-010	Galv.Nail Flathead 40mm x 2.5mm x 20kg	20.0	CTN
47-20-015	Galv.Nail Flathead 40mm x 2.50mm x 500gm	0.50	Bag
47-20-020	Galv.Nail Flathead 50mm x 2.80mm x 20kg	20.0	CTN
47-20-025	Galv.Nail Flathead 50mm x 2.80mm x 500g	0.50	Bag
47-20-030	Galv.Nail Flathead 65mm x 3.15mm x 20kg	20.0	CTN
47-20-035	Galv.Nail Flathead 65mm x 3.15mm x 500g	0.50	Bag
47-20-040	Galv.Nail Flathead 75mm x 3.75mm x 20kg	20.0	CTN
47-20-045	Galv.Nail Flathead 75mm x 3.75mm x 500g	0.50	Bag
47-20-050	Galv.Nail Flathead 100mm x 4.50mm x 20kg	20.0	CTN
47-20-055	Galv.Nail Flathead 100mm x 4.50mm x 500g	0.50	Each
47-20-060	Galv.Nail Flathead 125mm x 5.60mm x 20kg	20.0	CTN
47-20-065	Galv.Nail Flathead 125mm x 5.60mm x 500g	0.50	Bag
47-20-070	Galv.Nail Flathead 150mm x 5.60mm x 20kg	20.0	CTN
47-20-075	Galv.Nail Flathead 150mm x 5.60mm x 500g	0.50	CTN

Galvanised Nail-Fibre Cement

Application: Connect internal and external linings to timber framework.



Galvanised Fibre Cement Nail

GALVANISED NAIL - FIBRE CEMENT			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
47-40-015	Galv. Nail F/Cement 25mm x 2.00mm x 500g	0.50	Bag
47-40-025	Galv. Nail F/Cement 30mm x 2.00mm x 500g	0.50	Bag
47-40-035	Galv. Nail F/Cement 40mm x 2.50mm x 500g	20.	CTN
47-40-040	Galv. Nail F/Cement 25mm x 2.50mm x 20kg	20.0	CTN
47-40-045	Galv. Nail F/Cement 25mm x 2.50mm x 500g	0.50	Bag
47-40-055	Galv. Nail F/Cement 30mm x 2.50mm x 500g	0.50	Bags
47-40-060	Galv. Nail F/Cement 40mm x 2.00mm x 20kg	20.0	CTN
47-40-070	Galv. Nail F/Cement 40mm x 2.80mm x 20kg	20.0	CTN
47-40-085	Galv. Nail F/Cement 40mm x 2.80mm x 500g	0.50	Bag
47-40-090	Galv. Nail F/Cement 50mm x 2.80mm x 20kg	20.00	CTN
47-40-095	Galv. Nail F/Cement 50mm x 2.80mm x 500g	0.50	Bag
47-40-096	Galv. Nail F/Cement 50mm x 4.00mm x 20kg	20.00	CTN

Application: Connect internal and external linings to timber framework.

GALVANISED NAIL - FIBRE CEMENT			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
47-40-097	Galv. Nail F/Cement 50mm x 4.00mm x 500g	0.50	PKT
47-40-100	Galv. Nail F/Cement 100mm x 4.00mm x 20kg	20.0	CTN
47-40-105	Galv. Nail F/Cement 100mm x 4.00mm x 500g	0.50	PKT

Galvanised Nail-Hardboard

Application: Fixing dense, compressed internal linings.



Galvanised Hardboard Nail

GALVANISED NAIL - HARDBOARD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
48-20-015	Galv. Nail Hardboard 20mm x 1.60mm x 500g	0.50	Bag
48-20-025	Galv. Nail Hardboard 25mm x 1.6mm x 500g	0.50	Bag
48-20-035	Galv. Nail Hardboard 30mm x 1.60mm x 500g	0.50	Bag
48-20-040	Galv. Nail Hardboard 40mm x 1.60mm x 20kg	20.0	CTN

Galvanised Nail-Wallboard

Application: Fixing wallboard to timber.



Galvanised Wallboard Nail

GALVANISED NAIL - WALLBOARD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
48-40-010	Galv. Nail Wallboard 20mm x 1.60mm x 20kg	20.0	CTN
48-40-020	Galv. Nail Wallboard 25mm x 1.60mm x 20kg	20.0	CTN
48-40-025	Galv. Nail Wallboard 25mm x 1.60mm x 500g	0.50	Bag
48-40-030	Galv. Nail Wallboard 30mm x 1.60mm x 20kg	20.0	CTN
48-40-035	Galv. Nail Wallboard 30mm x 1.60mm x 500g	0.50	Bag
48-40-045	Galv. Nail Wallboard 20mm x 1.80mm x 500g	0.50	Bag
48-40-050	Galv. Nail Wallboard 25mm x 1.80mm x 20kg	20.0	CTN
48-40-055	Galv. Nail Wallboard 25mm x 1.80mm x 500g	0.50	Bag
48-40-060	Galv. Nail Wallboard 30mm x 1.80mm x 20kg	20.0	CTN
48-40-065	Galv. Nail Wallboard 30mm x 1.80mm x 500g	0.50	Bag
48-40-070	Galv. Nail Wallboard 40mm x 1.80mm x 20kg	20.0	CTN

Galvanised Nail-Softsheet

Application: Fixing soft internal linings such as plywood or cabinet work.



Galvanised Softsheet Nail

GALVANISED NAIL - SOFTSHEET			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
48-30-025	Galv. Nail Softsheet 25mm x 1.80mm x 500g	0.50	Bag
48-30-035	Galv. Nail Softsheet 30mm x 1.80mm x 500g	0.50	Bag
48-30-040	Galv. Nail Softsheet 40mm x 1.80mm x 20kg	20.0	CTN
48-30-045	Galv. Nail Softsheet 40mm x 1.80mm x 500g	0.50	Bag

Galvanised Nail-Masonry

Application: Securing materials to concrete wall and blocks.



Galvanised Masonry Nails

GALVANISED NAIL - MASONRY			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
47-50-010	Masonry Nail 38mm x 2.80mm x 20 kg	20.0	CTN
48-50-015	Masonry Nail 38mm x 2.8mm x 500g	0.50	Bag
48-50-020	Masonry Nail 50mm x 3.00mm x 20kg	20.0	CTN
48-50-025	Masonry Nail 50mm x 3.0mm x 500g	0.50	Bag
48-50-030	Masonry Nail 50mm x 4.00mm x 20kg	20.0	CTN
48-50-035	Masonry Nail 50mm x 4.0mm x 500g	0.50	Bag
48-50-040	Masonry Nail 75mm x 4.00mm x 20kg	20.0	CTN
48-50-045	Masonry Nail 75mm x 4.0mm x 500g	0.50	Bag
48-50-050	Masonry Nail 100mm x 4.0mm x 20kg	20.0	CTN
48-50-055	Masonry Nail 100mm x 4.0mm x 500g	0.50	Bag

Galvanised Nail-Roofing

Application: Corrugated iron roofing and walls.



Galvanised Roofing Nail

GALVANISED NAIL - ROOFING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
47-50-015	Galv.Roofing Nail 65mm x 3.75mm x 500g	0.50	Bag
47-50-020	Galv.Roofing Nail 65mm x 3.75mm x 20kg	20.0	CTN

Blue Shoe Tack Nails

Application: Secure floor coverings or upholstery work and providing strong hold.



Galvanised Blue Shoe Tack Nail

BLUE SHOE TACK NAILS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
48-10-015	Blue Shoe Tacks 20mm x 1.60mm x 500g	0.50	Bag
46-30-010	Blue Shoe Tacks 20mm x 1.6mm x 20kg	20.0	CTN

Deck Spike Nails

Available in Plain Steel & Hot Galvanised.



Deck Spike Nails

Application: Fixing heavier and thicker timber boards and sleepers and for decking edging.

DECK SPIKE NAILS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
46-10-010	Bright Deck Spikes 125mm x 9mm x 20kg	20.0	LNTH
46-10-020	Bright Deck Spikes 150mm x 9mm x 20kg	20.0	CTN
46-10-022	Bright Deck Spikes 175mm x 9mm x 20kg	20.0	CTN
46-10-025	Bright Deck Spikes 200mm x 9mm x 20kg	20.0	CTN
46-10-030	Bright Deck Spikes 225mm x 9mm x 20kg	20.0	CTN
46-25-050	Hot Dipped Galv. Deck Spikes 200mm x 9mm x 25kg	25.0	CTN
48-25-050	Bright Deck Spikes 200mm x 9mm x 25kg	25.0	CTN

Galvanised Staple Nail

Application: Attaching wire mesh to woodern fence posts and frames.



Galvanised Staple Nails

GALVANISED STAPLE NAILS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
49-20-010	S/Pt. Fen/Staples 20mm x 2.80mm x 20kg	20.0	CTN
49-20-015	S/Pt. Fen/Staples 20mm x 2.80mm x 500g	0.50	Bag
49-25-020	S/Pt. Fen/Staples 25mm x 2.80mm x 20kg	20.0	CTN
49-25-025	S/Pt. Fen/Staples 25mm x 2.80mm x 500g	0.50	Bag
49-30-030	S/Pt. Fen/Staples 30mm x 3.15mm x 20kg	20.0	CTN
49-30-035	S/Pt. Fen/Staples 30mm x 3.15mm x 500g	0.50	Bag
49-40-040	S/Pt. Fen/Staples 40mm x 4.00mm x 20kg	20.0	CTN
49-40-045	S/Pt. Fen/Staples 40mm x 4.00mm x 500g	0.50	Bag
49-50-050	S/Pt. Fen/Staples 50mm x 4.00mm x 20kg	20.0	CTN
49-50-055	S/Pt. Fen/Staples 50mm x 4.00mm x 500g	0.50	Bag

93 Screws & Fasteners

Atlas Steel-PNG supplies screws that meet AS/NZS 2451 standards, ensuring strength, durability, and reliability for construction and industrial applications. Sourced in bulk from trusted global manufacturers, our screws deliver consistent quality for every project.

We offer a wide range of screws, including Roofing & Cladding Screws, Heavy Duty Timber Screws, Chipboard Screws, Sheet Metal Screws, and more, in various types, sizes, and finishes to suit diverse applications.

Every batch undergoes strict quality control to ensure compliance with international standards. Whether for large-scale construction, woodworking, or roofing, Atlas Steel-PNG provides fastening solutions professionals can trust.



Roofing & Claddings Screws



Heavy Duty Timber Screws



Chipboard Screws



Sheet Metal Screws

Heavy Duty Timber Screws

Bugle Batten Type 17

Outdoor Use-Fixing to Timber

Applications: For structural framing, roofing battens, furniture, gates, fences, work benches, pergolas, carports, decking planks, landscaping.

Coating: Stainless Steel 304 / Galvanised Class 3



HEAVY DUTY TIMBER SCREWS - BUGLE BATTEN TYPE 17			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-50-005	BBEG14751 - Timber T17 Galv B/B 14G x 75mm	0.33	Box/25
24-50-025	BBEG141003 - Timber Galv Bugle Batten ++ 14G x 100mm -100 T/P	1.73	Box/100
24-50-030	BBEG141005 - Timber Galv Bugle Batten ++ 14G x 100mm - 500 P	8.57	Box/500
24-50-040	BBEG14753 - Timber Galv Bugle Batten ++ 14G x 75mm - 100 T/P	1.35	Box/100
24-50-050	BBEG14755 - Timber Galv Bugle Batten ++ 14G x 75mm - 500 P	6.38	Box/500
24-58-205	BBES121001 - Bugle Batten S/Steel 304 Coarse 12G x 100mm	0.00	Box/25
24-58-210	BBES12751 - Bugle Batten S/Steel 304 Coarse 12G x 75mm	0.00	Box/25

Landscape Type 17

Outdoor Use-Fixing to Timber

Applications: Landscaping sleepers, retaining walls, gardenboxes, structural framework.

Coating: ChemShield




HEAVY DUTY TIMBER SCREWS - LANDSCAPE SCREW TYPE 17			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-50-105	BBEM14751 - Landscape Screw T17 Chemshield 14G x 75mm	0.43	Box/25
24-50-115	BBEM141752 - Landscape Screw Type 17 Chemchield 14 x 175	1.96	Bag/50
24-50-120	BBEM142002 - Landscape Screw Type 17 Chemchield 14 x 200	2.23	Bag/50

Hex Head Type 17

Indoor Use-Fixing to Timber

Applications: For structural framing, furniture, work benches.

Coating: Zice Gold



Continue Heavy Duty Metal Screws..

HEAVY DUTY TIMBER SCREWS - HEX HEAD TYPE 17			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-50-052	TT17 - T/Screw Hex C3 14-10 x 25mm CVM7825	0.00	Box/50
24-50-325	TIHD12252 - Timber Hex Gold 12G x 25mm	0.26	Bag/50
24-50-330	TIHD12302 - Timber Hex Gold 12G x 30mm	0.31	Bag/50
24-50-345	TIHD12452 - Timber Hex Gold 12G x 45mm	0.38	Bag/50
24-50-350	TIHD12502 - TIMBER ZINC GOLD 12G X 50MM	0.42	Bag/50
24-50-351	TIHD1250P - TIMBER ZINC GOLD 12G x 50mm	0.07	Bag/8
24-50-365	TIHD12652 - Timber Hex Gold 12G x 65mm	0.52	Bag/50
24-50-366	TIHD1265P - TIMBER ZINC GOLD 12G x 65mm	0.00	Bag/5
24-50-575	TIHD14751 - Timber Hex Gold 14G x 75mm	0.39	Bag/25

Plasterboard Screws

Bugle Head Laminating

Indoor Use-Fixing to Timber

Applications: For fixing fittings, brackets, light duty angle, connectors, sheet metal to sheet metal.

Coating: Zinc Gold



PLASTERBOARD SCREWS - BUGLE HEAD LAMINATING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-61-250	LAOD10503 - PLAST.BD LAMINATING Z/G 10G X 50MM	0.00	Box/100

Bugle Head Metal Fine Thread

Indoor Use-Fixing to Metal

Applications: For fixing plasterboard to metal.

Coating: Zinc Gold



PLASTERBOARD SCREWS - BUGLE HEAD METAL FINE THREAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-62-626	PBLD06256 - Plasterboard Steel Gold Fine 6G x 25mm		Box/1000

Bugle Head “S” Point/ Fine Thread

Indoor Use–Fixing to Timber

Applications: For fixing plasterboard to hardwood timber and light gauge steel channel.



Coating: Zinc Gold

PLASTERBOARD SCREWS - BUGLE HEAD “S” POINT / BUGLE HEAD FINE THREAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-62-120	PBFD06203 - PLAST.BD ZINC GOLD 6G X 20MM	0.00	Box/100
24-62-125	PBFD06253 - PLAST.BD ZINC GOLD 6G X 25MM	0.00	Box/100
24-62-126	PBFD0625P - PLAST.BD ZINC GOLD 6G x 25mm	0.00	Box/ 45
24-62-130	PBFD06303 - PLAST.BD ZINC GOLD 6G X 30MM	0.00	Box/ 100
24-62-131	PBFD0630P - LAST.BD ZINC GOLD 6G x 30MM	0.00	Box/ 40
24-62-140	PBFD06403 - PLAST.BD ZINC GOLD 6G X 40MM	0.00	Box/ 100
24-62-141	PBFD0640P - PLAST.BD ZINC GOLD 6G x 40mm	0.00	Box/ 20
24-62-150	PBFD06503 - PLAST.BD ZINC GOLD 6G X 50MM	0.00	Box/ 100
24-62-225	PBFD08253 - PLAST.BD ZINC GOLD 8G X 25MM	0.00	Box/ 100
24-62-226	PBFD0825P - PLAST.BD ZINC GOLD 8G x 25mm	0.00	Box/ 20

Treated Pine Screws

Countersunk Self Embedding

Outdoor Use–Fixing to Timber

Applications: Light duty framing, trellis, slatting, garden boxes, flower boxes, fresh cement sheet. General purpose fixing timber to timber.



Coating: Galvanised

TREATED PINE SCREWS - COUNTERSUNK SELF EMBEDDING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-54-320	CHEG08203 - Treated Pine Galvanised 8G x 20MM	0.16	Box/ 100
24-54-321	CHEG0820P - Treated Pine Galvanised 8G x 20MM	0.06	Bag/40
24-54-325	CHEG08253 - Treated Pine Galvanised 8G x 25MM	0.18	Box/ 100
24-54-330	CHEG08303 - Treated Pine Galvanised 8G x 30MM	0.22	Box/ 100
24-54-335	CHEG08353 - Treated Pine Galvanised 8G x 35MM	0.23	Box/ 100
24-54-340	CHEG08403 - Treated Pine Galvanised 8G x 40MM	0.27	Box/ 100
24-54-342	24DG0842 - Treated Pine Galvanised 8G x 42MM	0.00	Box/ 100
24-54-345	CHEG08453 - Treated Pine Galvanised 8G X 45MM	0.31	Box/ 100
24-54-350	CHEG08503 - Treated Pine Galvanised 8G x 50MM	0.33	Box/ 100

Continue Treated Pine Screws Screws..

TREATED PINE SCREWS - COUNTERSUNK SELF EMBEDDING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-54-360	CHEG08603 - Treated Pine Galvanised 8G x 60MM	0.37	Box/ 100
24-54-440	CHEG10403 - Treated Pine Galvanised 10G X 40MM	0.33	Box/ 100
24-54-450	CHEG10503 - Treated Pine Galvanised 10G X 50MM	0.42	Box/ 100
24-54-451	CHEG1050P - Treated Pine Galvanised 10G x 50MM	0.08	Box/18
24-54-460	CBC9460 - Treated Pine Galvanised 10G x 60MM	0.00	Box/ 50
24-54-465	CHEG10653 - Treated Pine Galvanised 10G x 65MM	0.55	Bag/100
24-54-475	CHEG10753 - Treated Pine Galvanised 10G x 75MM	0.60	Bag/ 100
24-54-500	CHEG101002 - Treated Pine Galvanised 10G x 100MM	0.40	Bag/ 50

Chipboard Screws

Countersunk Screws

Indoor Use–Fixing to Timber

Applications: Flooring, light duty framing, boxes, crates, chipboard, MDF, pine, timber to timber and cabinet making. General purpose fixing timber to timber.



Coating: Zinc Plated

CHIPBOARD SCREWS - COUNTERSUNK			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-58-530	CHEZ08303 - Chipboard Zinc PL ++ 8G x 30mm	0.00	Bag/ 100
24-58-535	CHEZ08353 - CHIPBOARD ZINC PL 8G X 35MM	0.00	Box/ 100
24-58-540	CHEZ08403 - Chipboard Zinc PL ++ 8G x 40mm	0.00	Bag/ 100
24-58-545	CHEZ08453 - Chipboard Zinc Plated 8G X 45MM	0.00	Box/ 100
24-58-550	CHEZ08503 - Chipboard Zinc Plated 8G x 50mm	0.00	Bag/ 100
24-58-560	CHEZ08603 - Chipboard Zinc Plated 8G x 60mm	0.00	Bag/ 100
24-58-740	CHEZ10403 - Chipboard Zinc Plated 10G X 40MM	0.00	Box/ 100
24-58-765	CHEZ10653 - CHIPBOARD ZINC PL 10G X 65MM	0.00	Box/ 100
24-58-766	CHEZ1065P - CHIPBOARD ZINC PL 10G x 65MM	0.00	Box/ 14
24-58-775	CHEZ10753 - Chipboard Zinc PL ++ 10G x 75mm	0.00	Bag/ 100

Light Duty Metal Screws

Countersunk Self Drilling

Indoor Use–Fixing to Metal

Applications: For light gauge steel framing, flooring, gates, trailers, brackets in internal situations.

Coating: Zinc Gold



LIGHT DUTY METAL SCREWS - COUNTERSUNK SELF DRILLING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-63-220	SLED08202 - STEEL ZINC GOLD CSK 8G X 20MM	0.00	Box/50
24-63-221	SLED0820P - STEEL ZINC GOLD CSK 8G x 20MM	0.00	Box/20
24-63-230	SLED08302 - STEEL ZINC GOLD CSK 8G X 30MM	0.00	Box/50
24-63-235	SLED08352 - STEEL ZINC GOLD CSK 8G X 35MM	0.00	Box/50
24-63-236	SLED0835P - STEEL ZINC GOLD CSK 8G x 35MM	0.00	Box/15
24-63-330	SLED10302 - STEEL ZINC GOLD CSK 10G X 30MM	0.00	Box/ 50
24-63-340	SLED10402 - STEEL ZINC GOLD CSK 10G X 40MM	0.00	Box/ 50
24-63-341	SLED1040P - STEEL ZINC GOLD CSK 10G x 40mm	0.00	Box/ 12
24-63-350	SLED10502 - STEEL ZINC GOLD CSK 10G X 50MM	0.00	Box/ 50
24-63-351	SLED1050P - STEEL ZINC GOLD CSK 10G x 50mm	0.00	Box/ 12
24-63-336	SLED1065P - STEEL ZINC GOLD CSK 10G x 65mm	0.00	Box/ 10

Wing Tipped Countersunk Self Drilling

Indoor Use–Fixing to Metal

Applications: For flooring, gates, fences, trailers in internal situations.

Coating: Zinc Gold



LIGHT DUTY METAL SCREWS - WING TIPPED COUNTERSUNK SELF DRILLING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-64-330	SLWD10302 - STEEL ZINC GOLD WING 10G X 30MM	0.18	Box/50
24-64-331	SLWD1030P - STEEL ZINC GOLD WING 10G x 30mm	0.04	Box/12
24-64-340	SLWD10402 - STEEL ZINC GOLD WING 10G X 40MM	0.00	Box/50
24-64-341	SLWD1040P - STEEL ZINC GOLD WING 10G x 40mm	0.05	Box/ 12
24-64-350	SLWD10502 - STEEL ZINC GOLD WING 10G X 50MM	0.27	Box/50
24-64-351	SLWD1050P - STEEL ZINC GOLD WING 10G x 50MM	0.05	Box/ 10
24-64-360	SLWD10602 - STEEL ZINC GOLD WING 10G X 60MM	0.32	Box/ 50
24-64-361	SLWD1060P - STEEL ZINC GOLD WING 10G x 60MM	0.00	Box/ 10

Wafer Head Self Drilling

Outdoor Use–Fixing to Metal

Applications: For light gauge steel framing, gates, fences, trailers, brackets in external situations.

Coating: Galvanised



LIGHT DUTY MEATL SCREWS - WAFER HEAD SELF DRILLING SCREWS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-53-416	SLAG10162 - Steel Wafer Galv 10G x 16mm	0.12	Bag/50
24-53-422	SLAG10222 - Steel Wafer Galv 10G x 22mm	0.15	Bag/50
24-53-423	SLAG1022P - STEEL GALV WAFER 10G x 22MM	0.07	Bag/25
24-53-430	SLAG10302 - Steel Wafer Galv 10G x 30mm	0.20	Bag/50

Wing Tipped Countersunk Self Drilling Screws

Outdoor Use–Fixing to Metal

Applications: For flooring, gates, fences, trailers in internal situations.

Coating: Galvanised




LIGHT DUTY MEATL SCREWS - WING TIPPED COUNTERSUNK SELF DRILLING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-59-125	CWB4625 - Steel Galv Wing CSK 10G x 25mm	0.00	Bag/ 100
24-59-130	SLWG10302 - Steel Galv Wing CSK 10G x 30mm	0.00	Box/ 50
24-59-140	SLWG10402 - Steel Galv Wing CSK 10G x 40mm	0.00	Bag/ 50
24-59-150	SLWG10502 - Steel Galv Wing CSK 10G x 50mm	0.00	Bag/ 50
24-59-160	SLWG10602 - Steel Galv Wing CSK 10G x 60mm	0.00	Bag/ 50

Wing Tip Flat Head Self Embedding

Outdoor Use–Fixing to Metal

Applications: Fixing to timber,metal, brackets, hinges and signage to metal.

Coating: Chemshield




LIGHT DUTY METAL SCREWS - WING TIP FLAT HEAD SELF EMBEDDING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-59-245	SLWM10452 - Wingtip Chemishiled SEH 10G x 45mm	0.00	Bag/50
24-59-345	SLWM10455 - Wingtip Chemishiled SEH 10G x 45mm	0.00	Tub/ 500

Countersunk Head Self Drilling Phillips Drive

Outdoor Use-Fixing to Metal

Applications: For light gauge steel framing, flooring, gates, trailers, brackets in internal situations.

Coating: Galvanised



LIGHT DUTY METAL SCREWS - COUNTERSUNK HEAD SELF DRILLING PHILLIPS DRIVE			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-63-720	SLEG08202 - STEEL GALV CSK 8G X 20MM	0.00	Box/50
24-63-730	SLEG08302 - STEEL GALV CSK 8G X 30MM	0.00	Box/50
24-63-731	SLEG0830P - STEEL GALV CSK 8G x 30mm	0.00	Box/25
24-63-735	SLEG08352- STEEL GALV CSK 8G X 35MM	0.00	Box/50
24-63-840	SLEG10402 - STEEL GALV CSK 10G X 40MM	0.00	Box/50

Heavy Duty Metal Screws

Hex Head Self Drilling

Indoor Use-Fixing to Metal

Applications: For structural framing, roofing battens, fencing, gates, sheds, panelling, brackets work benches.

Coating: Zinc Gold



HEAVY DUTY METAL SCREWS - HEX HEAD SELF DRILLING			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-50-220	SLHD12202 - STEEL ZINC GOLD 12G X 20MM	0.29	Bag/25
24-50-225	SLHD12252 - Steel Hex Gold 12G x 25mm	0.29	Bag/25
24-50-235	SLHD12352 - STEEL ZINC GOLD 12G X 35MM	0.36	Bag/50
24-50-236	SLHD1235P - STEEL ZINC GOLD 12G x 35mm	0.07	Bag/50
24-50-245	SLHD12452 - Steel Hex Gold 12G x 45mm	0.43	Bag/50
24-50-246	SLHD1245P - STEEL ZINC GOLD 12G x 45mm	0.08	Bag/10
24-50-255	SLHD12552 - Steel Hex Gold 12G x 55mm	0.53	Bag/50
24-50-266	SLHD1265P - STEEL ZINC GOLD 12G x 65mm	0.06	Bag/5
24-50-716	SLHD10162 - STEEL ZINC GOLD 10G X 16MM	0.00	Bag/50

Sheet Metal Screws

Self Tapper Pan Head Screws

Indoor Use-Fixing to Metal

Applications: For fixing fittings, brackets, light duty angle, connectors, sheet metal to sheet metal.

Coating: Zinc Plated




SHEET METAL SCREWS - SELF TAPPER PAN HEAD			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-55-112	SEPZ04123 - Self Tapper Pan Zinc 4G x 12mm	0.08	Bag/ 100
24-55-312	SEPZ06123 - Self Tapper Pan Zinc 6G x 12mm	0.11	Bag/ 100
24-55-313	SEPZ0612P - SELF TAPP.PAN ZINC 6G x 12mm	0.04	Box/40
24-55-316	SEPZ06163 - Self Tapper Pan Zinc 6G x 16mm	0.12	Bag/ 100
24-55-317	SEPZ0616P - SELF TAPP.PAN ZINC 6G x 16mm	0.05	Box/40
24-55-320	SEPZ06203 - Self Tapper Pan Zinc 6G x 20mm	0.15	Bag/ 100
24-55-325	SEPZ06253 - Self Tapper Pan Zinc 6G x 25mm	0.17	Bag/ 100
24-55-326	SEPZ0625P - SELF TAPP.PAN ZINC 6G x 25mm	0.06	Box/35
24-55-510	Self Tapper Pan Zinc 8G x 10mm CWS1410	0.00	Box/ 100
24-55-512	SEPZ08123 - Self Tapper Pan Zinc 8G x 12mm	0.17	Bag/ 100
24-55-513	SEPZ0812P - SELF TAPP.PAN ZINC 8G x 12mm	0.06	Box/ 35
24-55-516	SEPZ08163 - Self Tapper Pan Zinc 8G x 16mm	0.18	Box/ 100
24-55-517	SEPZ0816P - SELF TAPP.PAN ZINC 8G x 16mm	0.06	Box/ 35
24-55-520	SEPZ08203 - Self Tapper Pan Zinc 8G x 20mm	0.20	Box/ 100
24-55-521	SEPZ0820P - SELF TAPP.PAN ZINC 8G x 20mm	0.06	Box/ 30
24-55-526	SEPZ0825P - SELF TAPP.PAN ZINC 8G x 25mm	0.07	Box/ 30
24-55-533	SEPZ0832P - SELF TAPP.PAN ZINC 8G x 32mm	0.07	Box/25
24-55-538	SEPZ08383 - Self Tapper Pan Zinc 8G x 38mm	0.00	Box/100
24-55-539	SEPZ0838P - SELF TAPP.PAN ZINC 8G x 38MM	0.00	Box/18
24-55-540	PD0840 - SELF TAPP.PAN ZINC 8G x 40MM	0.00	Box/50
24-55-716	SEPZ10163 - Self Tapper Pan Zinc 10G x 16mm	0.00	Box/100
24-55-725	SEPZ10253 - Self Tapper Pan Zinc 10G x 25mm	0.00	Box/100
24-55-726	SEPZ1025P - SELF TAPP. PAN ZINC 10G x 25MM	0.00	Box/25
24-55-739	SEPZ1038P - SELF TAPP.PAN ZINC 10G x 38MM	0.00	Box/16
24-55-750	SEPZ10503 - Self Tapper Pan Zinc 10G x 50mm	0.00	Bag/100
24-55-920	SEPZ12203 - Self Tapper Pan Zinc 12G x 20mm	0.00	Box/100

Roofing & Cladding Screws

Hex Head with Seal Screws

Outdoor Use-Fixing to Metal

Applications: For fixing roofing & cladding to metal.
Complies with AS3566.2002.2.



Coating: Galvanised Class 3 / Class 4.

NOTE:


24-50-650, SLNJ14502 - Steel Class Course W/Seal 14G x 50mm
is a Hex Head Coares with Seal Screw_Galv.Class 4.

ROOFING & CLADDING SCREWS - HEX HEAD WITH SCREWS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-50-416	SLNG10162 - Steel Hex Galv Neo 10G x 16mm	0.17	Bag/50
24-50-520	SLNG12202 - STEEL GALV W/SEAL 12G X 20MM	0.50	Box/50
24-50-521	SLNG1220P - STEEL GALV W/SEAL 12G x 20mm	0.15	Bag/15
24-50-525	SLNG12252 - Steel Hex Galv Neo 12G x 25mm	0.33	Bag/50
24-50-535	SLNG12352 - Steel Hex Galv Neo 12G x 35mm	0.39	Bag/50
24-50-545	SLNG12452 - Steel Hex Galv Neo 12G x 45mm	0.48	Bag/50
24-50-555	SLNG12552 - Steel Hex Galv Neo 12G x 55mm	0.59	Bag/50
24-50-556	SLNG1255P - STEEL GALV W/SEAL 12G x 55mm	0.05	Bag/5
24-50-565	SLNG12652 - STEEL GALV W/SEAL 12G X 65MM	0.59	Bag/50
24-50-616	SLNJ1016166 - Steel Hex W/Seal CL 4 10-16 x 16mm	3.41	Bag/1000
24-50-650	SLNJ14502 - Steel Class Course W/Seal 14G x 50mm	0.00	Bag/50

Hex Head Split Thread Type 17 with Seal

Outdoor Use-Fixing to Timber

Applications: For fixing roofing & cladding to timber.
Complies with AS3566.2002.2.



Coating: Galvanised Class 3.


ROOFING & CLADDING SCREWS - HEX HEAD SPLIT THREAD TYPE 17 WITH SEAL			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-52-650	TISG14502 - Timber Hex Split Galv Neo 14G x 50mm	0.59	Bag/50
24-52-665	TISG14652 - Timber Hex Split Galv Neo 14G x 65mm	0.70	Bag/50

Hex Head Type 17 with Seal

Outdoor Use-Fixing to Timber

Applications: For fixing roofing & cladding.
Complies with AS3566.2002.2.

Coating: Galvanised Class 3.



ROOFING & CLADDING SCREWS - HEX HEAD TYPE 17 WITH SEAL			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-51-416	TING10162 Timber Hex Galv Neo 10G x 16mm	0.16	Bag/50
24-51-425	TING10252 - Timber Hex Galv Neo 10G x 25mm	0.20	Bag/50
24-51-525	TING12252 - TIMBER GALV W/SEAL 12G X 25MM	0.31	Box/50
24-51-530	TING12302 - Timber Hex Galv Neo 12G x 30mm	0.29	Bag/50
24-51-545	TING12452 - Timber Hex Galv Neo 12G x 45mm	0.43	Bag/50
24-51-546	TING1245P - TIMBER GALV W/SEAL 12G x 45mm	0.09	Box/10
24-51-550	TING12502 - TIMBER GALV W/SEAL 12G X 50MM	0.46	Box/50
24-51-551	TING1250P - TIMBER GALV W/SEAL 12G x 50MM	0.08	Ctn/8
24-51-565	TING12652 - Timber Hex Galv Neo 12G x 65mm	0.53	Bag/50
24-51-566	TING1265P TIMBER GALV W/SEAL 12G x 65MM	0.07	Box/6
24-51-576	TING1475P TIMBER GALV W/SEAL 14G x 75MM	0.07	Box/5

Driver Bits for Screws-Phillips

For Driving Screws

Applications: For use with power drills, impact drivers or hand
operated driver handle. Ensure you use the correct
size or type of bit to avoid premature breakage of
the driver bit or screw head.



Coating: Plain

METAL SELF DRILLING COUNTERSUNK HEAD PHILLIPS DRIVE-ZINC GOLD PLATED			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-59-305	DBPH200652 - Philips Bit 65mm Pack: 2 Normal Finish, Round	0.00	Each
24-63-350	DBSQ200652 - Square Bit 2mm Pack: 65mm Normal Finish, Round	0.00	Each

Rivets

Available types of rivets we have are:

- ✓ Aluminium Open Rivets
- ✓ Aluminium Sealed Rivets

Can be use outdoor and indoor applications.



Blind Rivet Open Aluminium

Application: For windows, security doors, tool boxes, garden sheds, down pipes, guttering, air conditioning ducts and general purpose external applications.



Open Aluminium Rivets

ALUMINIUM BLIND RIVETS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-56-210	RVOA32483 Open Aluminium Riverts 3.2 x 4.8mm	0.00	Box/100
24-56-215	RVOA32643 Open Aluminium Riverts 3.2 x 6.4mm	0.00	Box/100
24-56-220	RVOA32793 Open Aluminium Riverts 3.2 x 7.9mm	0.00	Bag/100
24-56-225	RVOA32963 Open Aluminium Riverts 3.2 x 9.6mm	0.00	Box/100
24-56-230	RVOA32123 Open Aluminium Riverts 3.2 x 12.7mm	0.00	Bag/100
24-56-305	RVOA40323 Open Aluminium Riverts 4.0 x 3.20mm	0.00	Bag/100
24-56-310	RVOA40483 Open Aluminium Riverts 4.0 x 4.80mm	0.00	Box/100
24-56-315	RVOA40643 Open Aluminium Riverts 4.0 x 6.40mm	0.00	Box/100
24-56-320	RVOA40793 Open Aluminium Riverts 4.0 x 7.90mm	0.00	Bag/100
24-56-325	RVOA40963 Open Aluminium Riverts 4.0 x 9.60mm	0.00	Box/100
24-56-330	RVOA40123 Open Aluminium Riverts 4.0 x 12.70mm	0.00	Bag/100
24-56-405	RVOA48323 Open Aluminium Riverts 4.8 x 3.20mm	0.00	Bag/ 100
24-56-410	RVOA48483 Open Aluminium Riverts 4.8 x 4.20mm	0.00	Bag/ 100
24-56-415	RVOA48643 Open Aluminium Riverts 4.8 x 6.40mm	0.00	Bag/ 100
24-56-420	RVOA48791 Open Aluminium Riverts 4.8 x 7.90mm	0.00	Bag/ 25
24-56-425	RVOA48963 Open Aluminium Riverts 4.8 x 9.60mm	0.00	Bag/ 100
24-56-430	RVOA48123 Open Aluminium Riverts 4.8 x 12.70mm	0.00	Bag/ 100
24-60-005	ARR0005 196499 Rivet 41 AL/OP 1/8D 1/16G - Ply 100	0.00	Each
24-60-010	ARR0010 196500 Rivet 42 AL/OP 1/8D 1/8G - Ply 100	0.00	Each
24-60-020	ARR0020 196501 Rivet 43 AL/OP 1/8D 3/16G - Ply 100	0.00	Each
24-60-024	ARR0024 196502 Rivet 44 AL/OP 1/8D 1/4G - Ply 100	0.00	Each
24-60-030	ARR0030 196503 Rivet 45 AL/OP 1/8D 5/16G - Ply 100	0.00	Each
24-60-032	ARR0032 196504 Rivet 46 AL/OP 1/8D 3/8G - Ply 100	0.00	Each
24-60-033	ARR0033 196506 Rivet 48 AL/OP 1/8D 1/2G - Ply 100	0.00	Each
24-60-035	ARR0035 196505 Rivet 52 AL/OP 5/32D 1/8G - Ply 100	0.00	Each

ALUMINIUM BLIND RIVETS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-60-036	ARR0036 196507 Rivet 53 AL/OP 5/32D 3/16G - Ply 100	0.00	Each
24-60-037	ARR0037 196509 Rivet 55 AL/OP 5/32D 5/16G - Ply 100	0.00	Each
24-60-038	ARR0038 196508 Rivet 54 AL/OP 5/32D 1/4G - Ply 100	0.00	Each
24-60-039	ARR0039 196510 Rivet 56 AL/OP 5/32D 3/8G - Ply 100	0.00	Each
24-60-040	ARR0040 196513 Rivet 63 AL/OP 3/16D 3/16G - Ply 100	0.00	Each
24-60-041	ARR0041 196511 Rivet 58 AL/OP 5/32D 1/2G - Ply 100	0.00	Each
24-60-043	ARR0043 196512 Rivet 62 AL/OP 3/16D 1/8G - Ply 100	0.00	Each
24-60-050	ARR0050 196514 Rivet 64 AL/OP 3/16D 1/4G - Ply 100	0.00	Each
24-60-060	ARR0060 196515 Rivet 66 AL/OP 3/16D 3/8G - Ply 100	0.00	Each
24-60-170	ARU0170 196539 Rivet 42 AL/SL 1/8D 1/8G- Ply 100	0.00	Each
24-60-190	ARU0190 196541 Rivet 44 AL/SL 1/8D 1/4G - Ply 100	0.00	Each
24-60-200	ARU0200 196546 Rivet 64 AL/SL 3/16D 1/4G - Ply 100	0.00	Each
24-60-320	ARV0320 196538 Rivet 66 SS/OP 3/16D 3/8G - Ply 100	0.00	Each

Blind Rivet Sealed Aluminium

Application: Joining metal to softer materials.



Sealed Aluminium Rivets

SEALED ALUMINIUM BLIND RIVETS			
CODE No.	DESCRIPTION	UNIT WEIGHT	UOM
24-57-210	RVSA32483 Sealed Aluminium Riverts 3.2 x 4.80mm	0.00	Bag/ 100
24-57-215	RVSA32643 Sealed Aluminium Riverts 3.2 x 6.40mm	0.00	Bag/ 100
24-57-220	RVSA32793 Sealed Aluminium Riverts 3.4 x 7.90mm	0.00	Bag/ 100
24-57-225	RVSA32963 Sealed Aluminium Riverts 3.2 x 9.60mm	0.00	Bag/ 100
24-57-305	RVSA40323 Sealed Aluminium Riverts 4.0 x 3.20mm	0.00	Bag/ 100
24-57-310	RVSA40483 Sealed Aluminium Riverts 4.0 x 4.80mm	0.00	Bag/ 100
24-57-315	RVSA40643 Sealed Aluminium Riverts 4.0 x 6.40mm	0.00	Bag/ 100
24-57-320	RVSA40793 Sealed Aluminium Riverts 4.0 x 7.90mm	0.00	Bag/ 100
24-57-325	RVSA40963 Sealed Aluminium Riverts 4.0 x 9.60mm	0.00	Bag/ 100
24-57-330	RVSA40123 Sealed Aluminium Riverts 4.0 x 12.7mm	0.00	Bag/ 100
24-57-405	RVSA48323 Sealed Aluminium Riverts 4.8 x 3.20mm	0.00	Bag/ 100
24-57-410	RVSA48483 Sealed Aluminium Riverts 4.8 x 4.80mm	0.00	Bag/ 100
24-57-415	RVSA48643 Sealed Aluminium Riverts 4.8 x 6.40mm	0.00	Bag/ 100
24-57-420	RVSA48963 Sealed Aluminium Riverts 4.8 x 9.60mm	0.00	Bag/ 100
24-57-425	RVSA48123 Sealed Aluminium Riverts 4.8 x 12.7mm	0.00	Bag/ 100